

An Explanation of Anomalous Behavior in Models of Political Participation

Jacob K. Goeree and Charles A. Holt

Abstract. This paper characterizes behavior with “noisy” decision making for models of political interaction characterized by simultaneous binary decisions. Applications include: voting participation games, candidate entry, the volunteer's dilemma, and collective action problems with a contribution threshold. A simple graphical device is used to derive comparative statics and other theoretical properties of a “quantal response” equilibrium, and the resulting predictions are compared with Nash equilibria that arise in the limiting case of no noise. Many anomalous data patterns in laboratory experiments based on these games can be explained in this manner.

Keywords: participation games, entry, voting, threshold public goods games, volunteer's dilemma, quantal response equilibrium.

An Explanation of Anomalous Behavior in Models of Political Participation

Jacob K. Goeree and Charles A. Holt*

Introduction

Many political and social decisions involve only two options: to vote or not, to enter a contest or not, to join an alliance or not, etc. The apparent simplicity of these binary-choice situations is somewhat misleading in that the best decision requires correct beliefs about others' behavior. For instance, people may hesitate to go to a particular restaurant or bar when many others are likely to go, or as Yogi Berra said, "Nobody goes there anymore. It's too crowded."¹ In other cases, the rewards associated with each decision may be contingent on getting a minimal number of decisions of a certain type, e.g. the choice by a country of whether or not to join an alliance, or jump into world war, or impose an embargo. A similar example occurs when a majority vote is needed to approve a legislative pay raise that each legislator would prefer not to support if it would pass otherwise (Ordeshook 1986, chap. 3). Sometimes the minimal number of contributors needed is only one, as in the "volunteer's dilemma," where all players are better off if at least one of them incurs a cost from vetoing an option, attempting a dangerous rescue, or volunteering to perform a task that benefits them all (Diekmann 1985).

In all these examples, the question is whether independent choices made by different people will somehow generate the "correct" amount of participation or whether the inability to coordinate will lead to deficiencies such as excess entry or crowding, insufficient effort to produce a public good, or the failure of anyone to initiate an action that benefits all. Another interesting issue is how aggregate behavior patterns respond to changes in the number of people involved and the relevant

costs and benefits of participation.

This paper is motivated in part by the surprising and sometimes anomalous behavior patterns observed in many laboratory experiments that involve simple binary choices. For example, Kahneman (1988) reports an experiment in which the number of people who decide to enter was approximately equal to a "capacity" parameter that determined whether or not entry was profitable. He remarked: "To a psychologist, it looks like magic." Subsequent experiments have been based on similar models, and the general finding is that players are able to coordinate entry decisions in a manner that roughly equates expected profits for entry to the opportunity cost (Ochs 1990; Sundali, Rapoport, and Seale 1995).² However, the "magic" of efficient entry coordination has been called into question by recent experimental results. For example, Fischbacher and Thöni (2001) conducted an experiment in which a monetary prize is awarded to a randomly selected entrant, so the expected prize amount is a decreasing function of the number of entrants. Over-entry was observed, and it was more severe for larger numbers of potential entrants. This over-entry pattern is somewhat intuitive but contradicts the theoretical prediction that rewards should be equalized for the two options, independent of the number of potential entrants. Camerer and Lovallo (1999) also find over-entry when post-entry payoffs depend on a skill-based competition, but they report *under*-entry and positive net payoffs in the absence of such competition.

Other interesting behavior patterns have been observed in experiments based on the volunteer's dilemma, in which everyone receives a benefit if at least one person incurs the cost of "volunteering" but each person would prefer to free-ride on others' efforts. The theoretical prediction is that an increase in the number of potential volunteers will reduce the probability that any one person volunteers, which is intuitive, and will decrease the probability that *at least* one person volunteers, which is unintuitive. Experimental data support the intuitive prediction but not

the unintuitive one (Franzen 1995). Similarly, laboratory results for binary coordination games and collective action problems support some theoretical predictions, but also generate intuitive data patterns that not explained by standard game theory, as discussed below.

The objective of this paper is to explore the common structural elements of a wide class of binary-choice games, and to provide a unified theoretical perspective on seemingly contradictory results, like the positive relationship between over-entry (or the probability of getting a volunteer) with the number of potential entrants (or volunteers). Our approach involves relaxing the extreme rational choice assumption of perfect maximizing behavior where people respond sharply to small payoff differences, which, in reality, are likely to be dwarfed by an array of emotions, perception biases, and unobserved individual differences in fair-mindedness, altruism, etc. Instead of trying to model all these dimensions explicitly, our approach is to replace the knife-edge responses to small payoff differences with “smoothed” stochastic responses that represent random variations in unobserved factors (Palfrey and Rosenthal 1985, 1988; McKelvey and Palfrey 1995; Goeree and Holt 1999). The broader value of this work is that it provides an enriched and empirically useful game theory that applies to the kinds of situations of concern to political scientists, i.e. those with a rich diversity of individual motivations and attitudes. In addition, we derive our results using a simple graphical device that can be used in a wide variety of seemingly unrelated binary-choice situations.

To Participate or Not?

A symmetric N -person participation game is characterized by two decisions, which we will call participate and exit.³ Examples include the decision of whether or not to run for office, try to

unseat an incumbent, or approach a wealthy donor seeking campaign contributions. The payoff from participation is a function of the total number, n , who decide to participate, which is denoted by $\pi(n)$, defined for $n \leq N$. In a campaign entry game, for example, the payoff for all candidates may be a decreasing function of the number, n , who enter. The expected payoff for the exit decision will be denoted by $c(n)$, which is typically non-decreasing in n (the number of players that enter). In many applications, $c(n)$ is simply a constant that can be thought of as the opportunity cost of participation, but we keep the more general notation to include examples where a higher number of participants has external benefits to all, including those who do not participate (e.g. campaigning for civil rights, see Chong 1991).

A strategy in this game is a participation probability, $p \in [0, 1]$. In order to characterize a symmetric equilibrium, consider one player's decision when all others participate with probability p . Since a player's own payoff is a function of the number who actually participate, the *expected* payoff for participation is a function of the number of other players, $N - 1$, and the probability p that any one of them will participate. Assuming independence, the distribution of the number of other participants is binomial with parameters $N - 1$ and p . This distribution, together with the underlying $\pi(n)$ function, can be used to calculate the expected participation payoff, which will be denoted by $\pi^e(p, N-1)$. More precisely, $\pi^e(p, N-1)$ is defined to be the expected payoff if a player participates (with probability 1) when all $N - 1$ others participate with probability p . Similarly, $c^e(p, N-1)$ is the expected payoff from exit when the $N - 1$ others participate with probability p .

Equilibrium

In a Nash equilibrium, players choose the decision that yields the highest expected payoff, or

randomize in the case of indifference. Our goal is the explanation of "anomalous" data from laboratory experiments, so it is convenient to model a type of noisy behavior that includes the rational-choice Nash predictions as a limit case. One way to relax the assumption of noise-free, perfectly rational behavior is to specify a utility function with a stochastic component. For example, people may be motivated to vote by a sense of citizen duty (Riker and Ordeshook 1968), the strength of which may vary across individuals and across time for the same individual as external factors change. Thus the expected payoff for participation, π^e , and the expected payoff for exit, c^e , are each augmented by adding a stochastic term $\mu \varepsilon_i$, where $\mu > 0$ is an "error" parameter and the ε_i represent identically and independently distributed realizations of a random variable for decision $i = 1$ (participate) or 2 (exit). The utility of participation is greater if $\pi^e + \mu \varepsilon_1 > c^e + \mu \varepsilon_2$, so that when $\mu = 0$ the decision with the highest expected payoff is selected, but higher values of μ imply more noise relative to payoff maximization. This noise can be due to either errors (e.g. distractions, perception biases, or miscalculations that lead to non-optimal decisions), or to unobserved utility shocks that make rational behavior look noisy to an outside observer. Regardless of the source, the result is that choice is stochastic, and the distribution of the random variable determines the form of the choice probabilities.⁴ The participation decision is selected if $\pi^e + \mu \varepsilon_1 > c^e + \mu \varepsilon_2$, or equivalently, if $\varepsilon_2 - \varepsilon_1 < (\pi^e - c^e)/\mu$, which occurs with probability:

$$(1) \quad p = F \left[\frac{\pi^e(p, N-1) - c^e(p, N-1)}{\mu} \right],$$

where F is the distribution function of the difference $\varepsilon_2 - \varepsilon_1$. Since the two random errors are identically distributed, the distribution of their difference will be "symmetric" around 0, so $F(0) =$

1/2.⁵ The error parameter, μ , determines the responsiveness of participation probabilities to expected payoffs. Perfectly random behavior (i.e. $p = 1/2$) results as $\mu \rightarrow \infty$, since the argument of the $F(\cdot)$ function on the right side of (1) goes to zero and $F(0) = 1/2$ as noted above. Perfect rationality results in the limit as $\mu \rightarrow 0$, since the choice probability converges to 0 or 1, depending on whether the expected participation payoff is less than or greater than the expected exit payoff. More generally, for $\mu > 0$, equation (1) expresses the participation probability as a noisy best response to the expected payoff difference, which we will also refer to as a “stochastic best response.”

Equation (1) characterizes a quantal response equilibrium (McKelvey and Palfrey 1995) if the participation probability p in the expected payoff expressions on the right is equal to the choice probability that emerges on the left.⁶ Without further parametric assumptions, there is no closed-form solution for the equilibrium participation probability, but a simple graphical device can be used to derive theoretical properties and characterize factors that might cause systematic deviations from Nash predictions. The graph is based on a separation of the expected payoff difference from a term that depends only on the noise elements (μ and the distribution of random elements). To this end, apply the inverse of the F function to both sides of (1) and multiply by μ to obtain: $\mu F^{-1}(p) = \pi^e(p, N-1) - c^e(p, N-1)$. The determination of the equilibrium participation probability is illustrated in Figure 1. As p goes from 0 to 1 on the horizontal axis, $\mu F^{-1}(p)$ increases from $-\infty$ to $+\infty$, as shown by the curved dark line with a positive slope in the figure.⁷ Since the expected payoff difference is continuous in p , it has to cross the $\mu F^{-1}(p)$ line at least once, which ensures existence of a symmetric equilibrium.⁸ If the expected payoff difference $\pi^e(p, N-1) - c^e(p, N-1)$ is decreasing in p , the intersection will be unique. This case is illustrated in Figure 1, where the negatively sloped thin line

on the left side of the figure represents the expected payoff difference. This line intersects the "inverse distribution" line at the equilibrium probability labeled QRE on the left. Also, notice that the point where the expected payoff difference crosses the zero-payoff line constitutes a mixed-strategy Nash equilibrium, since players are only willing to randomize if expected payoffs for the two decisions are equal. This crossing point is labeled "NE Mix" in the figure.⁹

[Figure 1 goes about here]

Next consider the intuition for why the quantal response equilibrium is not typically at the intersection of the expected-payoff-difference line and the zero-payoff horizontal line in the figure. With equal expected payoffs for participation and exit, the person is indifferent and since $F(0) = 1/2$, the stochastic best response to such indifference is to participate with probability $1/2$. In the figure, this result can be seen by starting where expected payoffs are equal at the NE Mix point on the left and moving horizontally to the right, crossing the dark line at $p = 1/2$. This is not a quantal response equilibrium since the p we started with (at the NE Mix) is not the stochastic best response to itself. To find a stochastic best response to any given entry probability p on the horizontal axis, first move in the vertical direction to find the associated expected payoff difference, and then move horizontally (left or right) to the dark line, which determines the stochastic best response to that expected payoff difference. Equilibrium requires that the stochastic best response to the others' participation probability is that same probability, which occurs only at the intersection of the expected-payoff-difference and inverse distribution lines in the figure. *To summarize, a symmetric quantal response probability is a stochastic best response to itself, whereas a symmetric Nash equilibrium probability*

*is a best response to itself.*¹⁰

As long as the expected payoff difference is decreasing in p , it is apparent from Figure 1 that any factor that increases the expected payoff difference line for all values of p will move the intersection with the dark inverse distribution line to the right, and hence raise the quantal response equilibrium probability. In an entry game, for example, the original $\pi(n)$ function would be decreasing if expected rewards are decreasing in the number of entrants, and it is then straightforward to show that $\pi^e(N-1, p)$ is a decreasing function of both arguments.¹¹ When the opportunity cost payoff from not entering is constant, it follows that the expected payoff difference $\pi^e(p, N-1) - c^e(p, N-1)$ is decreasing in p and N , so a reduction in the number of potential entrants will shift the thin line in the figure upward and raise the quantal response (QRE) probability, as represented by a comparison of the high- N case on the left with the low- N case on the right.

The effect of additional "noise" in this model is easily represented, since an increase in the error parameter μ makes the $\mu F^{-1}(p)$ line steeper around the midpoint, $p = 1/2$, although it still passes through the zero-payoff line at this midpoint (see Figure 1). This increase in noise, therefore, moves the quantal response equilibrium closer to $1/2$, as would be expected. In contrast, as a reduction in μ makes the $\mu F^{-1}(p)$ line flatter, and in the limit it converges to the horizontal line at zero as the noise vanishes. In this case, the crossings for the QRE and mixed Nash equilibria match up, as would be expected.

Next, consider coordination-type games where participation can be interpreted as an individual decision of whether or not to help with a group production process that will only succeed if enough people help out. For example, participation in revolutionary activities may be individually costly unless the movement reaches a critical mass. In such games, it does not pay to participate

unless enough others do, so $\pi(n)$ will be less than $c(n)$ for low n and greater than $c(n)$ for high n . Thus the right side of (1) is increasing in the probability of participation. This property may result in multiple quantal response equilibria since there can be multiple intersections when both the expected-payoff-difference and the inverse distribution lines are increasing in p (see Figure 2, which shows a case with three intersections). With multiple crossings, any factor that shifts the expected payoff difference line upward will move some intersection points to the left and others to the right. Thus the comparative statics effects are of opposite signs at adjacent equilibria, and we need to use an analysis of dynamic adjustment to restrict consideration to equilibria that are stable (the Samuelsonian "correspondence principle").¹² A simple dynamic model can be based on the intuitive idea that the participation probability will increase over time when the "noisy best response" to a given p is higher than p . Thus $dp/dt > 0$ when $F((\pi^e(p, N-1) - c^e(p, N-1))/\mu) > p$, or equivalently, p would tend to increase when $\pi^e(p, N-1) - c^e(p, N-1) > \mu F^{-1}(p)$ and decrease otherwise. For example, start at $p = .6$ in Figure 2, which gives a positive expected payoff difference and a stochastic best response of almost .9, found by moving horizontally to the right. For this reason, a rightward arrow is present at $p = .6$ on the horizontal axis. The other directional arrows are found similarly, so there is an unstable QRE at about .3, with arrows pointing away. In this manner it can be seen that the quantal response equilibrium will be stable whenever the expected payoff difference line cuts the inverse distribution line from above.

[Figure 2 goes about here]

Notice that any factor that raises the payoff from participation, and hence shifts the expected-

payoff-difference line upward in Figure 2, will raise the QRE participation probability if the equilibrium is stable and not otherwise. To summarize:

Proposition 1. There is at least one symmetric quantal response equilibrium in a symmetric binary-choice participation game. The equilibrium is unique if the difference between the expected payoff of participating and exiting is decreasing in the probability of participation. In this case, any exogenous factor that increases the participation payoff or lowers the exit payoff will raise the equilibrium participation probability. The same comparative statics result holds when there are multiple equilibria and attention is restricted to stable equilibria.

It is useful to begin with a discussion of entry games since they are the simplest application. Moreover, the quantal response properties for these games also apply to the stable equilibria in more complex applications such as threshold contribution games, volunteer's dilemma or voting. The reader who is primarily in one of these subsequent applications may wish to skip any of the later sections after reading as far as Proposition 2.

Entry Games: Under-Entry and Over-Entry Relative to Mixed-Nash Predictions

A widely studied example that fits the binary choice framework is an "entry" game, where the choice is between a risky entry decision with high potential payoffs (if few others enter) and a secure exit payoff. For example, entry may correspond to launching a political campaign, or filing of an application for a limited number of public broadcast licenses. There are N potential entrants, and we assume that if all others enter with probability 1, the representative player would prefer to

exit due to congestion, but if nobody else enters, then the player would prefer to enter: $\pi^e(1, N-1) < c^e(1, N-1)$ and $\pi^e(0, N-1) > c^e(0, N-1)$. Consider a simple three-person congestion problem where each person's payoff from participation is 1 unless both others also participate, in which case congestion reduces the payoff to 0. The exit payoff is c , with $0 < c < 1$. When both others participate with probability p , the probability of congestion is p^2 , so $\pi^e = 1 - p^2$, which is less than the exit payoff c when $p = 1$ and greater than the exit payoff when $p = 0$. In this example and in all other applications considered below, the expected payoff difference will be continuous and decreasing in p , so there is a unique p^* for which

$$(2) \quad \pi^e(p^*, N-1) = c^e(p^*, N-1).$$

(For instance, in the three-person congestion problem $p^* = (1 - c)^{1/2}$.) Since (2) implies indifference, it characterizes the unique symmetric Nash equilibrium in mixed strategies. The net payoff for participation, $\pi^e(p, N-1) - c^e(p, N-1)$, is decreasing in p , as shown by the "expected payoff difference" line on the left side of Figure 1. As noted above, the crossing of this thin line and the horizontal line at 0 represents the solution to (2), and is labeled "NE Mix" on the left side of the figure.

In order to compare the Nash and quantal response equilibria, note that the thin lines representing the differences in expected payoffs are always negatively sloped in an entry game. First consider the high- N case in the left side, where the large number of potential entrants lowers the expected payoff associated with a given participation probability, and the resulting mixed equilibrium is less than 1/2. The intersection of the negatively sloped thin line and the increasing inverse distribution line determines the quantal response participation probability, and this intersection will be to the right of the mixed Nash probability. The opposite occurs for the low- N

case on the right side of the graph, where the low number of potential entrants results in a mixed equilibrium that is greater than $1/2$. In this low- N case, the QRE probability is biased downward from the Nash probability. One way to understand both cases is to note that the effect of adding noise is to push the equilibrium towards $1/2$.¹³

Finally, recall that the thin lines in Figure 1 represent the expected payoff difference on the right side of (1). At the QRE probability on the left, net expected payoffs are negative and there is over-entry in this case of a high number of potential entrants. In contrast, the thin line lies above the zero line at the QRE probability on the right side, for the low- N case. This negative relationship between the number of potential entrants and net returns from participation is consistent with the experimental results of Fischbacher and Thöni (2001) that were discussed in the Introduction.¹⁴ To summarize:

Proposition 2. In the quantal response equilibrium for the entry game, there is over-entry resulting in negative net expected payoffs when the mixed-strategy Nash equilibrium is less than $1/2$. The reverse effect, under-entry, occurs when the mixed Nash equilibrium is greater than $1/2$.

The implication of Proposition 2 is that the quantal response equilibrium for the entry game is always between the Nash equilibrium and $1/2$. Therefore, an observed participation that is more extreme than the Nash prediction would contradict the quantal response equilibrium model for any error rate, μ , and any distribution of stochastic shocks, F .

Meyer *et al.* (1992) report an experiment in which subjects choose to enter one of two markets. With a group size of six, profits are equalized with three in each market, so the equilibrium

probability of entry is 1/2. An immediate corollary to Proposition 2 is that in this case QRE coincides with Nash and both predict an entry probability of 1/2. This prediction is borne out by their data: the average of the number of people that enter each market is never statistically different from three in the eleven baseline sessions that they report (see their Table 3), even when the game is repeated for as many as sixty periods (see their Table 5).¹⁵

Camerer and Lovo (1999) provide support for the QRE under-entry prediction when the Nash probability of entry is greater than 1/2. In their experiment subjects decide whether or not to enter a contest with a fixed number, c , of prizes. The entrants were randomly ranked and the top c entrants divide \$50 according to their rank, while all other entrants lose \$10. The exit payoff is simply 0, and the equilibrium number of entrants is (close to) $c + 5$. The parameters were chosen such that the Nash entry probability was greater than or equal to 1/2 in all treatments.¹⁶ Under-entry occurred in all of the eight sessions in their baseline treatment, which resulted in positive expected payoffs for entry (see their Table 4). The net expected payoff of entry across sessions and periods was \$15, which translates into under-entry of 1-2 subjects per round.¹⁷

The strongest evidence for the quantal response predictions in Proposition 2 can be found in Sundali, Rapoport and Seale (1995). In their experiments, subjects received a fixed payoff of 1 for exit and an entry payoff that is increasing in market capacity, c , and decreasing in the number of entrants: $\pi(n) = 1 + 2(c - n)$. Thus entry in excess of capacity reduces payoffs below 1, the payoff for exit. It is straightforward to derive the mixed Nash entry probability: $p^* = (c-1)/(N-1)$, which is approximately equal to the ratio of capacity to the number of potential entrants.¹⁸ The capacities for the various treatments were: $c = 1, 3, \dots, 19$, and with groups of $N = 20$ subjects, the Nash equilibrium probability ranged from $p^* = 0$ to $p^* = 18/19$. Figure 3 shows the entry decisions averaged over all

subjects, with the Nash predictions shown as the 45 degree line. Since each subject participated in ten "runs" and there were three groups of twenty subjects, a data point in the figure is the average of $10 \times 3 \times 20 = 600$ entry decisions. Note that the entry frequency is generally higher than predicted by Nash for $p^* < 1/2$ and lower than predicted for $p^* > 1/2$, in line with the quantal response equilibrium predictions.

[Figure 3 goes about here]

To summarize, the quantal response analysis explains the "magical" conformity to Nash entry predictions (e.g. Meyer et al. 1992), the under-entry in the Camerer and Lovo (1999) baseline, the over-entry with many potential entrants observed by Fischbacher and Thöni (2001), and the systematic pattern of deviations from Nash predictions reported by Sundali, Rapoport and Seale (1995). This general approach can be adapted to evaluate behavior in other contexts where payoffs for one decision are diminished as a result of congestion effects, as the next section illustrates.¹⁹

The Volunteer's Dilemma

There are many situations in which a player's decision to participate benefits others. In collective action problems, for instance, the contributions of some have positive returns for everyone involved, and these returns are increasing in the number of contributors. In some contexts, the critical number of participants is one, e.g. when a volunteer is needed to issue a politically risky veto or sanction a group member who violated a norm. The dilemma in these situations is that

volunteering is costly and players have an incentive to free ride on others' benevolence.

[Table 1 goes here]

In the *volunteer's dilemma* game studied here (Diekmann 1986), all players receive a benefit B if at least one of them incurs a cost, $C < B$. In this case, the expected payoff of participation, or "volunteering" is simply a constant, $B - C$. The expected payoff from "exiting" follows from the observation that when the $N - 1$ others volunteer with probability p , there is a $(1 - p)^{N-1}$ chance that no one volunteers, so $c^e(p, N-1) = B(1 - (1 - p)^{N-1})$. Notice that the volunteer's dilemma game satisfies the assumptions underlying Figure 1, i.e. the difference between the expected payoffs of participating and exiting is decreasing in p . The Nash probability of volunteering follows by equating these expected payoffs (as per (2)) to obtain:

$$(3) \quad p^* = 1 - \left(\frac{C}{B} \right)^{\frac{1}{N-1}}.$$

This probability of volunteering has the intuitive properties that it is increasing in the benefit, B , decreasing in the cost, C , and decreasing in the number of potential volunteers, N . However, the probability of getting no volunteers is $(1 - p^*)^N$. By (3) the probability of getting no volunteers in a Nash equilibrium is $(C/B)^{N/(N-1)}$, which is *increasing* in N , with $\lim_{N \rightarrow \infty} P(\text{No Volunteer}) = C/B > 0$. Unlike the intuitive comparative statics properties mentioned before, this prediction is not supported by experimental data. Table 1 reports experimental results for a one-shot volunteer's dilemma game with $B = 100$ and $C = 50$ (Franzen 1995). Notice that the probability that any person volunteers is

generally declining with N , as predicted by Nash.²⁰ The probability that no one volunteers, however, is *decreasing* in N and converges to 0 instead of $C/B = 1/2$.

Next, consider the quantal response equilibrium for the volunteer's dilemma. Since the difference between the expected payoffs of volunteering and exiting is decreasing in the probability of volunteering, Proposition 1 implies that the QRE probability of volunteering is unique, decreasing in N and C , and increasing in B . Interestingly, the introduction of (enough) endogenous noise reverses the unintuitive Nash prediction that the probability of "no volunteer" increases with N .

Proposition 3. In the quantal response equilibrium for the volunteer's dilemma game, the probability that no one will volunteer is decreasing in the number of potential volunteers for a sufficiently high error rate, μ . Furthermore, $\lim_{N \rightarrow \infty} P(\text{No Volunteer}) = 0$ for any $\mu > 0$.

The proof of Proposition 3 is contained in the Appendix. The intuition is that, in the presence of noise, the addition of potential volunteers only results in a small reduction in the probability of volunteering, and the net effect is that the chance that *someone* volunteers will rise.²¹

The unintuitive feature of the Nash equilibrium for the volunteer's dilemma (i.e. that the probability of getting no volunteer increases with N) parallels the result that the chance of convicting an innocent defendant under the unanimity rule (i.e. no acquittal votes) rises with the size of the jury (Feddersen and Pesendorfer 1998). The models differ in that jurors receive private signals about the likelihood that the defendant is guilty. In the Nash equilibrium, those that receive a guilty signal vote to convict while those with an innocent signal randomize between voting to convict or to acquit. As the jury size increases, an individual juror's propensity to vote to acquit with an innocent

signal falls, and the chance that there is not a single vote to acquit rises. As a result, it becomes more likely that an innocent defendant is wrongfully convicted (Feddersen and Pesendorfer 1998). In laboratory jury voting experiments, subjects tend to vote strategically as predicted by the Nash equilibrium. However, the unintuitive numbers effect is not supported by experimental data and is not implied by a quantal response equilibrium analysis (Guarnaschelli, McKelvey, and Palfrey 2000).

Games with Multiple Equilibria: Step-Level Public Goods Games

In some binary-choice games the expected payoff function for participating is not decreasing in p . For example, in any collective political activity where a critical mass is required to achieve a desired outcome (e.g. regime change), the net reward from participating will be higher as others become more involved.²² Therefore, the payoff difference function is increasing in the probability of participation, which permits multiple crossings as shown in Figure 2. This is intuitive, since there may exist both low-participation equilibria and high-participation equilibria in such "coordination" or "assurance" games.²³ A particular example is a step-level public goods game, where N players decide whether or not to "contribute" at cost c . If the total number of contributions meets or exceeds some threshold n^* , then the public good is provided and all players receive a fixed return, V , whether or not they contributed. Here we assume that the contribution is like an effort that is lost if the threshold is not met, so there is "no rebate." The threshold n^* could correspond to a required number of participants in an embargo or signatures on a petition.²⁴

In the standard linear public goods games without a step, observed contributions in experiments are positively related to the marginal effect of a contribution on the value of the public

good, known as the "marginal per capita return" (MPCR).²⁵ Anderson, Goeree, and Holt (1998) have shown that a logit quantal response analysis predicts this widely observed MPCR effect. This raises the question whether there is a similar measure or index that would predict the level of contributions in step-level public goods games. One would intuitively expect that contributions are positively related to the total (social) value of the public good (NV) and negatively related to the minimum total cost of providing it (n^*c). Croson and Marks (2000) have proposed using the ratio of social value to cost, which they call the "step return:" $SR = NV/n^*c$. Based on a meta-analysis of several step-level public goods games, they conclude "... subjects respond to the step return just as they correspond to the marginal per capita return (MPCR) in linear public goods games: higher step returns lead to more contributions."

First we consider whether there is a clear theoretical basis for expecting contributions to be positively related to step return measures. A contribution in this game pays off only when it is pivotal, i.e. when exactly $n^* - 1$ others contribute, which happens with probability

$$(4) \quad \binom{N-1}{n^*-1} p^{n^*-1} (1-p)^{N-n^*},$$

where, as before, p denotes the probability that *others* participate. The difference between the expected payoff of contributing or not contributing is therefore:

$$(5) \quad \pi^e(p, N-1) - c^e(p, N-1) = V \binom{N-1}{n^*-1} p^{n^*-1} (1-p)^{N-n^*} - c.$$

The right side is a single-peaked function of p , and equating its derivative to 0 yields a unique maximum at $p = (n^* - 1)/(N - 1)$. Figure 4, drawn for $V = 6$, $c = 1$, and $N = 10$, shows these "hill

shaped" expected payoff difference lines for three values of the threshold: $n^* = 3, 5, 8$. (Please ignore the " $n^* = \{5, 8\}$ " line, which pertains to a multiple-step case to be considered later.) In each case there are two Nash equilibria in mixed strategies, determined by the crossings of the thin line with the horizontal line at zero. The inverse distribution line is plotted for the case of a logistic distribution, i.e. $F(x) = 1/(1+\exp(-x))$, and $\mu = 1$. As before, the intersection of the inverse distribution line with the thin lines determines the quantal response equilibrium, which is unique for all three values of the threshold in this numerical example.²⁶

[Figure 4 goes about here]

Recall that the step return is NV/n^*c , which is increasing in N and V , and decreasing in n^* and c . In order to evaluate these properties in the context of the quantal response predictions, note that the bell shaped nature of the expected payoff differences imply that there may be multiple quantal response equilibria. It follows from Proposition 1, however, that any factor that shifts the expected payoff difference line upwards will raise the equilibrium probability in a stable equilibrium. Since the difference in (5) is increasing in V and decreasing in c , we conclude that the equilibrium contribution probability will be increasing in V and decreasing in c , just as indicated by the step-return effect. Next consider the effects of the numbers variables, N and n^* , beginning with a somewhat informal graphical analysis (precise results are presented in Proposition 4 below). Recall that the maximum of the expected payoff difference "hill" is at a probability of $(n^* - 1)/(N - 1)$, so an increase in N tends to shift this function to the left. Notice that a leftward shift in the thin line labeled $n^* = 3$ in Figure 4 will lower the equilibrium probability, but a slight leftward shift in the line

labeled $n^* = 8$ will move the intersection point up along the dark line, and hence will raise the quantal response equilibrium probability. Thus an increase in N can result in a *decrease* in the equilibrium probability when the threshold is low and an increase when the threshold is high.²⁷ The effect of changes in the threshold, n^* , are similar. Note that the quantal response probability of contributing does not decrease monotonically with the threshold: when n^* increases from 3 to 5, the equilibrium probability *increases* from .43 to .56, and then drops to .27 when $n^* = 8$. The intuition is that when the threshold rises and it is still likely that the public good will be provided, individual contributions will rise, but contributions drop dramatically when too many contributions are needed for provision. To summarize, in a quantal response equilibrium, a higher step return ratio leads to more contributions when it is due to a higher total value of the public good or a lower cost of provision, but not necessarily when it is due to an increase in the number of potential contributors or to a lower threshold. Thus the (admittedly theoretical) analysis here yields only qualified support for the use of the step return as a rough measure of the propensity to contribute in a binary step-level public goods game.²⁸

Of course, even when individual contributions rise in response to the increased threshold, the probability that the public good is actually provided may decrease, since more people are needed to meet the threshold. For the numeric example represented in Figure 4, the probability of success drops from .83 to .62 to practically 0 when n^* is increased from 3 to 5 to 8. Van de Kragt, Orbell, and Dawes (1983) report an experiment that implemented a step-level public goods game with binary contributions and found that increasing the number of contributors needed for success reduced the incidence of successful provision. The next proposition shows that these findings are in line with QRE predictions when there is sufficient noise.

Proposition 4. For a high enough error rate, μ , the quantal response equilibrium for the step-level public goods game is unique and predicts that individual contributions first rise and then fall with the threshold, n^ , while the probability of successful provision always decreases with n^* .*

This proposition, which is proved in the Appendix, is illustrated in Figure 5, which was drawn for the case where $V = 6$, $c = 1$, $N = 10$, $\mu = 1.5$, and with the provision point, n^* , varying from 1 to 9. A movement to the right in the figure corresponds to an increase in the number of contributors needed for successful provision, which reduces the probability of success in a quantal response equilibrium. As the step level is increased, individual contributions first increase to meet the challenge, and then fall as the threshold becomes more unattainable. Interestingly, Palfrey and Rosenthal (1988) derive this result in an equivalent manner by introducing random, individual-specific "joy of giving" (or "warm-glow" altruism) shocks that are added to a person's payoff for a contribution decision.²⁹ Proposition 4 extends their analysis by showing that the probability of successful provision is decreasing in n^* .

[Figure 5 goes about here]

Finally, it is interesting to see how contribution behavior changes as multiple steps, or thresholds are introduced. Suppose, for instance, that in addition to the $n^* = 5$ threshold there is another threshold at $n^* = 8$: with five or more contributions, everyone receives a return of 1 from the public good, while with eight contributions or more, the return is 2. This multiple-step case can be

analyzed in the same manner as before. Now there are two points at which one's contribution can be pivotal, and the expected payoff is the sum of the two effects. In terms of Figure 4, the expected payoff lines for $n^* = 5$ and $n^* = 8$ get "summed," as indicated by the $n^* = \{5,8\}$ line in Figure 4 (the cost of contributing only enters once, which is why the endpoints of the dotted line are still at -1). The introduction of the extra threshold at $n^* = 8$, which by itself results in a low contribution probability, dramatically increases contributions: the QRE contribution probability is .73 and the probability that at least five people contribute is as high as .97. An immediate extension of this analysis is that adding more steps, without reducing the payoff increment at any of the existing steps, will increase quantal response contribution probabilities in a binary public goods game.

Voting Participation Games

Another binary choice of considerable interest is the decision of whether or not to vote in a small-group situation where voting is costly and a single vote has a non-negligible effect on the final outcome, e.g. the decision of whether to attend a faculty meeting on a busy day. The analysis is similar to that of a step-level public goods game, since the threshold contribution, n^* , corresponds to the number of votes needed to pass a favored bill. In a real voting contest, however, the vote total required to win is endogenously determined by the number of people voting against the bill. If there are two types of voters, those who favor a bill and those who oppose, then the equilibrium will be characterized by a participation probability for each type. Here we restrict attention to a symmetric model with equal numbers of voters of each type, equal costs of voting, c , and symmetric valuations: V if the preferred outcome receives more votes and 0 otherwise. Ties in this majority rule game are decided by the flip of a coin. Note that the public goods incentives to free ride are still present in this

game, since voters benefit when their side wins, regardless of whether or not they incurred the cost of voting.

The analysis of the majority voting game is a straightforward application of the approach taken in the previous sections. The gain from a favorable outcome is V , so the expected payoff difference is V times the probability that one's vote affects the outcome minus the cost of voting. (Obviously, the net cost of voting could be small or even negative if voting is psychologically rewarding or if there are social pressures to vote, e.g. to attend a faculty meeting.) Since a tie is decided by the flip of a coin, the probability that a vote is pivotal is one-half times the probability that it creates or breaks a tie. In a symmetric equilibrium with common participation probability, p , it is straightforward to use the binomial formulas to calculate these probabilities, and the expected payoff difference for voting is then $V/2$ times this "influence probability" minus the cost of voting.³⁰

[Figure 6 goes about here]

Figure 6 shows the expected payoff difference as a function of the common participation probability, which is labeled "majority rule." The parameters that were used to construct this figure are taken from Schram and Sonnemans (1996b) who conducted an experiment based on this game form with $N = 6$, $V = 2.5$, and $c = 1$. The "U" shape of the expected payoff difference reflects the fact that a costly vote is wasted when the preferred outcome is already winning, or when it cannot win even with an extra vote. Indeed, the expected value of a vote is highest when either no one else or everyone else votes, since a vote is then guaranteed to be pivotal by breaking or creating a tie. In contrast, when all others vote with probability $1/2$, one extra vote is likely to be superfluous or not

enough and its expected value is therefore small. As in previous sections, the mixed Nash prediction is determined by where the expected payoff difference line crosses the zero line: there are two Nash equilibria, one in which almost no one votes and another in which almost everyone votes (Palfrey and Rosenthal 1983).

The quantal response equilibrium is determined by the intersection of the expected payoff difference line and the inverse distribution function (dark lines).³¹ The μ parameter of 0.8 used to construct the steeper line was selected so that the QRE prediction would be at about the same level (30 to 50 percent) as the vote participation probabilities reported by Schram and Sonnemans (1996b) in the initial periods of their experiment. Interestingly, the voting probabilities started high and then decreased to stabilize somewhere in the 20 to 30 percent range. This downward trend is crudely captured by a reduction in the noise parameter μ to 0.4 as indicated by the second inverse distribution line in Figure 6.³²

Schram and Sonnemans (1996b) also considered a "proportional rule" game in which each person's payoff is the proportion of votes for their preferred outcome, minus the cost of voting if they voted. Again, it is straightforward to use the binomial formula to calculate the expected proportion of favorable votes, contingent on one's own decision of whether to vote, as a function of the common participation probability, p .³³ The expected payoff difference for this proportional representation game is the increase in the expected proportion of favorable votes, minus the cost of voting. This difference is declining everywhere because one's vote has a smaller impact on the vote proportion as the probability of others' participation increases. The expected payoff difference line is labeled "proportional rule" in Figure 6, where the parameters are again taken from Schram and Sonnemans (1996b): $N = 6$, $V = 2.22$, and $c = 0.7$. The Schram and Sonnemans data for the proportional rule

experiments, plotted as the lower line in Figure 7, started in the 30 to 40 percent range and ended up between 20 and 30 percent in the final periods. Note that participation is initially higher with the majority rule than with the proportional rule, while this difference disappears in the final periods of the experiment when the voting probabilities are close to 25 percent, well above the Nash predictions for these games. This result is not surprising from a QRE point of view, since the two expected payoff difference lines cross at $p = .25$ at which they intersect with the inverse distribution line (for $\mu = 0.4$). The result, however, is unexplainable by a Nash analysis for which the intersection of the two expected payoff difference lines plays no role and only "crossings at zero" matter. For the parameter values of the experiment, these crossings are at $p = .05$ and $p = .95$ for the majority rule treatment and at $p = .09$ for the proportional rule treatment, and seem to have little predictive power for the results of the Schram and Sonnemans (1996b) experiment.³⁴ To summarize, both the qualitative data patterns as well as the magnitude of the observed voting probabilities are consistent with a QRE analysis (but not with Nash), as can be seen from Figures 6 and 7.³⁵

[Figure 7 goes about here]

This general approach may be extended to cover cases with asymmetries, e.g. when one type is more numerous than another. With asymmetries, the equilibrium will consist of a participation probability for each type. These two probabilities will be determined by two equations analogous to (1), with the expected payoff for participation (voting) being a function of the number of potential voters of each type and the equilibrium participation probabilities. While a simple graphical analysis

of this asymmetric model is not possible, it is straightforward to proceed with numerical calculations, for example, to show that the smaller group is more likely to vote when the costs of voting are symmetric (Palfrey and Rosenthal 1983).³⁶

Conclusion

Many strategic situations are characterized by binary decisions, e.g. whether or not to vote, volunteer, attend a congested event, or perform a costly task with social benefits. In this paper we present a simple model of equilibrium behavior that applies to a wide variety of seemingly unrelated binary-choice games, including coordination, public goods, entry, voting participation, and volunteer's dilemma games. The model captures the feature that the decision of whether or not to participate may be affected by randomness, either in preferences (e.g. entry or voting costs) or in decision making (due to perception or calculation errors). The resulting quantal response equilibrium (McKelvey and Palfrey 1995) incorporates this randomness in the form of an error parameter and nests the standard rational-choice Nash equilibrium as a limiting case.

The quantal response equilibrium tracks many behavioral deviations from Nash predictions, e.g. the tendency for entry to match the Nash predictions when the prediction is $1/2$, and for excess entry when the Nash prediction is below $1/2$. In other words, a model with behavioral noise is capable of explaining the "magical" accuracy of Nash predictions in some experiments and the systematic deviations in others. The observed over-entry when Nash predictions are low is analogous to the over-participation in voting experiments, which is explained by a quantal response analysis. The participation rates in these experiments are roughly the same for the majority and proportional outcome rule treatments, which are consistent with theoretical calculations for the

parameters used in the experiments. Similarly, the quantal response model tracks intuitive "numbers effects" observed in volunteers' dilemma and step-level public goods experiments, both when these effects are consistent with Nash predictions and when they are not.

The quantal response equilibrium generalizes the standard Nash theory by allowing for stochastic elements. The scale of these elements, as measured by the error rate μ , determines how closely decisions match perfect-rationality predictions. Despite the unspecified nature of the stochastic elements, the quantal response equilibrium provides clear, falsifiable predictions for many of the binary-choice models considered in this paper. For example, the predicted participation probabilities for the entry games are less extreme than Nash predictions (i.e. they lie between $1/2$ and the mixed-strategy Nash equilibrium) for *any* error distribution F . Similarly, the predicted volunteer rates for the volunteer's dilemma are less extreme than Nash since the expected payoff difference is decreasing in the probability of volunteering. In addition, there are key differences between Nash and quantal response equilibrium predictions such as the effect of large numbers on the probability of getting at least one volunteer or one vote to acquit under unanimity.

Taken together, these results indicate that standard "rational-choice" game theory can be enriched in a manner that increases its behavioral relevance for a wide class of situations. Moreover, the simple nature of the graphical equilibrium analysis will aid researchers in other binary choice applications.

Appendix

Proof of Proposition 3. The probability, P , that no one volunteers is given by $(1-p)^N$, where the QRE probability of volunteering, p , satisfies:

$$(A1) \quad \mu F^{-1}(p) = B(1-p)^{N-1} - C.$$

Combining these equations and using the fact that $F^{-1}(p)$ is symmetric, i.e. $F^{-1}(p) = -F^{-1}(1-p)$, allows one to express (A1) in terms of the probability that no one volunteers:

$$(A2) \quad \mu F(P^{1/N}) = C - B P^{N-1}$$

from which the derivative of P with respect to N can be established as:

$$\frac{dP}{dN} = -\frac{P \text{Log}(P)}{N} \frac{B f(F^{-1}(P^{1/N})) - \mu P^{-1+2/N}}{(N-1)B f(F^{-1}(P^{1/N})) + \mu P^{-1+2/N}}$$

Note that dP/dN can only be non-negative when $\mu \leq P^{1-2/N} B f(F^{-1}(P^{1/N}))$. The right side of this inequality is bounded by $B \max(f)$, so dP/dN has to be negative for large enough μ . Finally, suppose, in contradiction, that $\lim_{N \rightarrow \infty} P > 0$. This implies that $P^{1/N}$ tends to 1, so $\mu F^{-1}(P^{1/N}) \rightarrow \infty$ when $\mu > 0$.

This contradicts (A2) since the right side limits to $C - BP$, which is finite. Hence, P tends to zero when N tends to infinity. In fact, from (A2) it follows that for large N , P converges to $F(C/\mu)^N$, which tends to zero since $F(C/\mu) < 1$ for $\mu > 0$. Q.E.D.

Proof of Proposition 4. The QRE probability of contributing, p , satisfies:

$$(A3) \quad \mu F^{-1}(p) = V P_w^N(p) - c,$$

where $w \geq 1$ denotes the threshold and $P_w^N(p)$ is the probability that $w-1$ out of the $N-1$ others contributed (see equation (6)). The solution to (A3) is unique when the derivative of the left side is everywhere greater than that of the right side. The derivative of $P_w^N(p)$ with respect to p is given by $((w-1)/p - (N-w)/(1-p)) P_w^N(p)$ and the relevant condition for uniqueness is therefore:

$$(A4) \quad \mu > V f(F^{-1}(p))((w-1)/p - (N-w)/(1-p)) P_w^N,$$

Note that the right side is negative when $w=1$ and for $w \geq 2$ it is less than $Vf(F^{-1}(p))P_w^N(w-1)/p$. The latter expression can be rewritten as $(N-1)Vf(F^{-1}(p))P_{w-1}^{N-1}$, which is bounded by $(N-1)V\max(f)$. So for $\mu > (N-1)V\max(f)$, the quantal response probability of contributing is unique for all values of the threshold. The derivative of $P_w^N(p)$ with respect to $w < N$ (holding p fixed) is $P_{w+1}^N(p) - P_w^N(p)$, which simplifies to: $P_w^N(p)(1 - w/(N-w)(1-p)/p)$. Together with (A3) this implies that the derivative of the QRE probability, p , with respect to the threshold, w , is given by:

$$(A5) \quad \frac{d p}{d w} = \frac{1 - p}{N - w} \frac{V f(F^{-1}(p))((N-w)/(1-p) - w/p) P_w^N}{\mu + V f(F^{-1}(p))((N-w)/(1-p) - (w-1)/p) P_w^N},$$

Note that the denominator of the second fraction on the right side is positive when the condition for a unique QRE (eq. (A4)) is satisfied. The sign of dp/dw is then determined by the numerator which is positive iff $p \geq w/N$. The intuition for this result is straightforward: as long as the "inverse distribution" line intersects the "expected payoff difference" line to the right of its maximum (i.e. $p > w/N$), an increase in w shifts the expected payoff difference to the right and moves the intersection

point upwards. The reverse happens for higher values of w when the inverse distribution line cuts the expected payoff difference line to the left of the maximum (see also Palfrey and Rosenthal 1982).

The probability, Q_w^N , that the public good is provided is given by

$$Q_w^N = \sum_{k=w}^N \binom{N}{k} p^k (1-p)^{N-k},$$

and its derivative with respect to w (for $w < N$) is:

$$(A6) \quad \frac{d Q_w^N}{d w} = Q_{w+1}^N - Q_w^N + \frac{d Q_w^N}{d p} \frac{d p}{d w} = N P_w^N \left(\frac{d p}{d w} - \frac{1-p}{N-w} \right).$$

Combining (A5) and (A6) shows that Q_w^N is decreasing in w . Q.E.D.

References

- Anderson, Simon P., Jacob K. Goeree, and Charles A. Holt. 1998. "A Theoretical Analysis of Altruism and Decision Error in Public Goods Games." *Journal of Public Economics* 70: 297-323.
- Anderson, Simon P., Jacob K. Goeree, and Charles A. Holt. 2002. "The Logit Equilibrium: A Perspective on Intuitive Behavioral Anomalies." *Southern Economic Journal* 69 (1): 21-47.
- Camerer, Colin, and D. Lovo. 1999. "Overconfidence and Excess Entry: An Experimental Approach." *American Economic Review* 89 (March): 306-318.
- Capra, C. Monica, Jacob K. Goeree, Rosario Gomez, and Charles A. Holt. 1999. "Anomalous Behavior in a Traveler's Dilemma?" *American Economic Review* 89 (June): 678-690.
- Cohen, Linda R. and Roger Noll. 1991. "How to Vote, Whether to Vote: Strategies for Voting and Abstaining on Congressional Roll Calls." *Political Behavior* 13(2): 97-127.
- Chong, Dennis. 1991. *Collective Action and the Civil Rights Movement*. Chicago: University of Chicago Press.
- Croson, Rachel T.A., and Melanie Beth Marks. 2000. "Step Returns in Threshold Public Goods: A Meta- and Experimental Analysis." *Experimental Economics* 2 (3): 239-259.
- Diekmann, Andreas. 1985. "Volunteer's Dilemma." *Journal of Conflict Resolution*. 29 (4): 605-610.
- Diekmann, Andreas. 1986. "Volunteer's Dilemma: A Social Trap Without a Dominant Strategy and Some Empirical Results." In *Paradoxical Effects of Social Behavior: Essays in Honor of Anatol Rapoport*, eds. A. Diekmann and P. Mitter. Heidelberg: Physica-Verlag, 187-197.
- Erev, Ido, and Amnon Rapoport. 1998. "Coordination, "Magic," and Reinforcement Learning in a

- Market Entry Game." *Games and Economic Behavior* 23 (May): 146-175.
- Erev, Ido, Amnon Rapoport, Darryl A. Seale, and James A. Sundali. 1998. "Equilibrium Play in Large Market Entry Games." *Management Science* 44: 119-141.
- Feddersen, Timothy and Wolfgang Pesendorfer. 1998. "Convicting the Innocent: The Inferiority of Unanimous Jury Verdicts under Strategic Voting." *American Political Science Review* 92: 23-36.
- Fey, Mark. 1997. "Stability and Coordination in Duverger's Law: A Formal Model of Preelection Polls and Strategic Voting." *American Political Science Review* 91 (1): 135-147.
- Fischbacher, Urs, and Christian Thöni. 2001. "Inefficient Excess Entry in an Experimental Winner-Take-All Market." University of Zurich, Working paper No. 86.
- Franzen, A. 1995. "Group Size and One Shot Collective Action." *Rationality and Society* 7: 183-200.
- Gilligan, Michael J. 2003. "Is there a Broader-Deeper Tradeoff?" New York University, Photocopy.
- Goeree, Jacob K. and Charles A. Holt. 1999. "Stochastic Game Theory: For Playing Games, Not Just for Doing Theory." *Proceedings of the National Academy of Sciences* 96 (September): 10564-10567.
- Guarnaschelli, Serena, Richard D. McKelvey and Thomas R. Palfrey. 2000. "An Experimental Study of Jury Decision Making." *American Political Science Review* 94 (2): 407-423.
- Kahneman, Daniel. 1988. "Experimental Economics: A Psychological Perspective." In *Bounded Rational Behavior in Experimental Games and Markets*. Eds. R. Tietz, W. Albers, and R. Selten. New York: Springer-Verlag, 11-18.
- Lohmann, Susanne. 1994. "Dynamics of Informational Cascades: The Monday Demonstrations in

- Leipzig, East Germany, 1989-1991." *World Politics* 47: 42-101.
- McKelvey, Richard D. and Thomas R. Palfrey. 1995. "Quantal Response Equilibria for Normal Form Games." *Games and Economic Behavior* 10: 6-38.
- Meyer, Donald J., John B. Van Huyck, Raymond C. Battalio, and Thomas R. Saving. 1992. "History's Role in Coordinating Decentralized Allocation Decisions: Laboratory Evidence on Repeated Binary Allocation Games." *Journal of Political Economy* 100 (April): 292-316.
- Miller, Gary J. 1997. "The Impact of Economics on Contemporary Political Science." *Journal of Economic Literature* 35: 1173-1204.
- Morgan, Dylan, Anne M. Bell, and William A. Sethares. 1999. "An Experimental Study of the El Farol Problem." Discussion Paper, presented at the Summer ESA Meetings, Tucson.
- Morton, Rebecca. 1999. *Methods and Models: A Guide to the Empirical Analysis of Formal Models in Political Science*. Cambridge: Cambridge University Press.
- Ochs, Jack. 1990. "The Coordination Problem in Decentralized Markets: An Experiment." *Quarterly Journal of Economics* 105 (May): 545-559.
- Offerman, Theo, Arthur Schram and Joep Sonnemans. 1998. "Quantal Response Models in Step-Level Public Goods." *European Journal of Political Economy*. 14: 89-100.
- Ordeshook, Peter C. 1986. *Game Theory and Political Theory*. Cambridge: Cambridge University Press.
- Ostrom, Elinor. 1998. "A Behavioral Approach to the Rational Choice Theory of Collective Action." *American Political Science Review* 92 (1): 1-22.
- Palfrey, Thomas R. and Howard Rosenthal. 1983. "A Strategic Calculus of Voting." *Public Choice* 41: 7-53.

- Palfrey, Thomas R. and Howard Rosenthal. 1985. "Voter Participation and Strategic Uncertainty." *American Political Science Review* 79: 62-78.
- Palfrey, Thomas R. and Howard Rosenthal. 1988. "Private Incentives in Social Dilemmas." *Journal of Public Economics* 35: 309-332.
- Rapoport, Amnon. 1995. "Individual Strategies in a Market Entry Game." *Group Decision and Negotiation* 4: 117-133.
- Rapoport, Amnon, Darryl A. Seale, and Lisa Ordonez. 2002. "Weighted Probabilities in Large Group Coordination: Theory and Experimental Evidence from Market Entry Games." *Journal of Risk and Uncertainty* 25: 21-45.
- Rapoport, Amnon, Darryl A. Seale, Ido Erev, and James A. Sundali. 1998. "Equilibrium Play in Large Group Market Entry Games." *Management Science* 44 (January): 119-141.
- Rapoport, Amnon, and James A. Sundali. 1997. "Induction vs. Deterrence in the Chain Store Game: How Many Potential Entrants Are Needed to Deter Entry?" In *Understanding Strategic Behavior: Essays in Honor of Reinhard Selten*. Eds. W. Albers, Werner Guth, P. Hammerstein, B. Moldovanu and E. van Damme. Berlin: Springer-Verlag.
- Riker, William H. and Peter Ordeshook. 1968. "Theory of the Calculus of Voting." *American Political Science Review* 62 (1): 25-43.
- Schram, Arthur, and Joep Sonnemans. 1996a. "Voter Turnout as a Participation Game: An Experimental Investigation." *International Journal of Game Theory* 25 (3): 385-406.
- Schram, Arthur, and Joep Sonnemans. 1996b. "Why People Vote: Experimental Evidence." *Journal of Economic Psychology* 17: 417-442.
- Signorino, Curtis S. 1999. "Strategic Interaction and the Statistical Analysis of International

Conflict." *American Political Science Review* 93 (June): 279-297.

Sundali, James A., Amnon Rapoport, and Darryl A. Seale. 1995. "Coordination in Market Entry Games with Symmetric Players." *Organizational Behavior and Human Decision Processes* 64: 203-218.

van de Kragt, Alphons, John M. Orbell, and Robyn M. Dawes. 1983. "The Minimal Contributing Set as a Solution to Public Goods Problems." *American Political Science Review* 77 (March): 112-122.

TABLE 1. Frequencies of Individual Volunteer Decisions (p) and of "No Volunteer" Outcomes,

N	p	$P(\text{No Volunteer})$
2	.65	.12
3	.58	.07
5	.43	.06
7	.25	.13
9	.35	.02
21	.30	.00
51	.20	.00
101	.35	.00

Source: Franzen (1995).




FIGURE 1. Quantal Response and Nash Participation Probabilities for Low-N and High-N Cases




FIGURE 2. Quantal Response and Nash Mixed Participation Probabilities for a Game with Positive Externalities




FIGURE 3. Nash Predictions (solid line) and Observed Entry Probabilities (diamonds) Source: Sundali, Rapoport, and Seale (1995)




FIGURE 4. Expected Payoff Differences and the Inverse Distribution Line for Different Thresholds in Step-Level Public Goods Games




FIGURE 5. QRE Probabilities of Individual Contribution and Successful Group Provision of a Step Level Public Good, as a Function of the Provision Point




FIGURE 6. Nash and Quantal Response Voting Probabilities Under Majority and Proportional Rules




FIGURE 7. Voting Participation Rates with Random Matching, Source: Schram and Sonnemans (1996b)

Endnotes

* Goeree: Division of the Humanities and Social Sciences, California Institute of Technology, Mail code 228-77, Pasadena, CA 91125, USA. Holt: Department of Economics, University of Virginia, Charlottesville, VA 22904-4182. We gratefully acknowledge financial support from the National Science Foundation (SBR-0094800), the Alfred P. Sloan Foundation, the Bankard Fund at the University of Virginia, and the Dutch National Science Foundation (VICI 453.03.606). This paper benefitted from comments provided by three anonymous referees, Rebecca Morton, Howard Rosenthal, and participants at the quantal response workshop at Caltech and the Politics seminar at NYU.

¹ Entry decisions in this context are known as the "El Farol" dilemma, named after a popular bar in Santa Fe (Morgan, Dylan, Bell, and Sethares 1999).

² This successful coordination has been explained by models of adaptation and learning (Meyer, Van Huyck, Battalio, and Saving 1992; Erev and Rapoport 1998).

³ The participation game terminology was introduced by Palfrey and Rosenthal (1983) in the context of the decision of whether or not to vote. These voting participation games are discussed in section 6 below.

⁴ For instance, a normal distribution yields the probit model, while a double exponential distribution gives rise to the logit model, in which case the choice probabilities are proportional exponential functions of expected payoffs.

⁵ More formally, $\Pr(\varepsilon_1 \leq \varepsilon_2) = 1/2$, so $\Pr(\varepsilon_1 - \varepsilon_2 \leq 0) = F(0) = 1/2$.

⁶ The quantal response equilibrium, developed by political scientists (McKelvey and Palfrey 1995), has been applied to the study of international conflict by Signorino (1999). A general introduction to the usefulness of the quantal response approach in the analysis of political data can be found in Morton (1999).

⁷ To see this, note that an expected payoff difference of $-\infty$ on the vertical axis will cause the participation probability to be 0, and an expected payoff difference of $+\infty$ will cause the participation probability to be 1. This is why the dark "inverse distribution" line starts at $-\infty$ on the left side of Figure 1 and goes to $+\infty$ on the right.

⁸ The existence of quantal response equilibria for normal-form games with a finite number of strategies is proved in McKelvey and Palfrey (1995) and for normal-form games with a continuous strategy space in Anderson, Goeree, and Holt (2002).

⁹ All the games considered in this paper are symmetric in the sense that players' payoff *functions* are identical. We will only consider symmetric mixed-strategy Nash equilibria for such games. It is sometimes possible to find asymmetric Nash equilibria for symmetric games but without some coordination device these equilibria seem less plausible.

¹⁰ At the "NE Mix" point in Figure 1, expected payoffs are equal and any probability is a best response, so the NE Mix probability is a best response to itself.

¹¹ Intuitively, holding N fixed, a higher probability of entering means that more people enter, which results in a lower expected payoff of entry. Similarly, holding p fixed, a higher number of potential entrants results in more entry. This can be made more precise as follows: suppose N is fixed and the entry probability is p_1 . Let the number of entrants be determined by drawing a random number that is uniformly distributed on $[0, 1]$ for each player. If the number is less than p_1 a player enters, otherwise the player stays out. When the probability of entering increases to $p_2 > p_1$, the number of entrants is at least the same as before for all possible realizations of the random variables, and greater for some realizations. (When a player's random variable is less than p_1 it is certainly less than p_2 , leading to the same entry decision, and when it lies between p_1 and p_2 , the player's decision changes from staying out to entering.) Likewise, when p is fixed, an increase in the potential number of entrants means that for all possible realizations of players' random draws, the number of entrants is the same or higher, which makes the expected payoff from entry be the same or lower.

¹² Similar dynamic-stability arguments were used by Palfrey and Rosenthal (1988) and Fey (1997).

¹³ In some games with strong strategic interactions, the "snowball" effects of small amounts of noise can push decisions away from the unique Nash equilibrium so strongly that they overshoot the midpoint of the strategy space, with most of the theoretical density at the opposite end of the set of feasible decisions from the Nash prediction. This is the case for some parameterizations of the "traveler's dilemma" (Capra *et al.* 1999). This prediction, that the data will be clustered on the

opposite side of the midpoint decision from the Nash equilibrium, is borne out by the experimental evidence.

¹⁴ In their game, a prize worth V is awarded randomly to one of the n players who purchase a lottery ticket at cost c , so $\pi(n) = V/n - c$. From this it can be shown that the expected payoff difference is decreasing in p and N .

¹⁵ Meyer *et al.* (1992) also report some evidence that does not square with either the symmetric Nash or the quantal response predictions of our model. In particular, the frequency with which subjects switch markets is less than the predicted frequency (50 percent). We conjecture that this "inertia" could be explained by an asymmetric quantal response equilibrium in which some people tend to enter with higher probability than others.

¹⁶ The number of prizes was either two, four, six or eight, yielding equilibrium numbers of entrants ($c + 5$) of 7, 9, 11, or 13 respectively, which are always greater than or equal to half the group size (14-16).

¹⁷ Camerer and Lovallo (1992) also report a second treatment in which subjects are told beforehand that their performance on sports or current events trivia will determine their payoff. This creates a selection bias, since people that participate in the experiment are more likely to think they will rank high when they enter (i.e. they are "overconfident"), neglecting the fact that other participants think the same ("reference group neglect"). Camerer and Lovallo propose overconfidence and reference group neglect as a possible explanation of the over-entry that occurs

in this second treatment. This explanation is quite plausible, in that it is analogous to the failure to perceive a selection bias that causes winners in a common-value auction to be the ones who overestimated its value. Note that overconfidence cannot be the whole story, however, since this bias does not explain under-entry in their baseline treatment.

¹⁸ To derive this symmetric mixed equilibrium, note that the expected number of *other* people who enter is $(N-1)p$, so if a person enters, the expected total number of entrants is $1 + (N-1)p$. Then $\pi(n)$ can be used to calculate the expected payoff for entering: $\pi^e(p, N-1) = 1 + 2(c-1) - (N-1)2p$ and the Nash equilibrium probability of entering follows by equating this expected payoff to the exit payoff of 1, which yields the result in the text.

¹⁹ The analysis presented here does not apply directly to the experiments reported in Ochs (1990), since his experiments involved more than two market locations, each with different "capacities" that determined the number of entrants which could be accommodated profitably. Nevertheless the data patterns with random regrouping ("high turnover") are suggestive of the quantal response results derived here. The locations with the most capacity (and high probabilities) consistently have a lower frequency of entry than required for a mixed-strategy Nash equilibrium, whereas the opposite tendency was observed for locations with the capacity to accommodate only one entrant profitably.

²⁰ Franzen (1995) reports that the group-size effect is significant at the five percent level using a chi-square test with seven degrees of freedom.

²¹ In the extreme case when $\mu \rightarrow \infty$, players volunteer with probability one-half, irrespective of the number of potential volunteers, and the chance that no one volunteers falls exponentially, since the probability of no volunteer is 2^{-N} .

²² In the discussion that follows we treat the threshold as a sharp cutoff even though it is more reasonable in most contexts to model the threshold as a range of participation over which the probability of success is sharply increasing. The use of a sharp cutoff simplifies the analysis and is standard in the literature (see, for instance, Lohmann 1994).

²³ Stability arguments can often be used to rule out the middle equilibrium if there are three crossings as in Figure 2. For low μ , this middle equilibrium is usually close to a mixed Nash equilibrium with "perverse" comparative statics properties. The high- and low-participation equilibria then correspond to low-effort and high-effort pure-strategy Nash equilibria that often arise in coordination games.

²⁴ Gilligan (2003) considers the problem of determining the "correct" number of countries needed to ratify a treaty. A higher threshold indicating broader support typically requires a less restrictive agreement.

²⁵ This literature is surveyed in Ostrom's (1998) presidential address to the American Political Science Association, and in Miller (1997).

²⁶ More generally, when the expected payoff difference line is increasing there may be multiple equilibria for some values of the error rate μ . For instance, a slight upward shift in the " $n^*=8$ " line

in Figure 4 would result in three quantal response equilibria. The stability analysis associated with Figure 2 can be used to show that the middle equilibrium is unstable, see also Palfrey and Rosenthal (1988) and Fey (1997). The likelihood of having multiple equilibria is increased when μ is small and the $\mu F^{-1}(p)$ line is essentially horizontal for p between 0 and 1.

²⁷ See, for instance, Offerman, Schram, and Sonnemans (1997) for experimental evidence on some of these comparative static results.

²⁸ Nor are the numbers effects in a Nash equilibrium necessarily consistent with the qualitative properties of the step return ratio. This is because an increase in the threshold n^* shifts the maximum of the expected-payoff-difference line to the right in Figure 4, which is likely to shift the right-most (stable) mixed Nash equilibrium to the right. Thus a rise in n^* , which lowers the step return, can raise the mixed Nash contribution probability.

²⁹ The Nash equilibrium for the resulting game of incomplete information is mathematically equivalent to a quantal response equilibrium. Palfrey and Rosenthal (1988) prove that individual contributions first rise and then fall with the threshold (see their Table 2). They also show that the number of potential contributors, N , has the reverse effect: individual contributions first fall and then rise with increases in N .

³⁰ Suppose there are two groups of equal size, N , and consider a player in group 1. The player's vote is pivotal only when the number of voters in group 1 is equal to $n_2 - 1$ or n_2 , where n_2 denotes the number of voters in group 2, which happens with probability:

$$\sum_{n_2=1}^N \binom{N}{n_2} \binom{N-1}{n_2-1} p^{2n_2-1} (1-p)^{2N-2n_2} + \sum_{n_2=0}^{N-1} \binom{N}{n_2} \binom{N-1}{n_2} p^{2n_2} (1-p)^{2N-2n_2-1},$$

where, as before, p denotes the probability with which all others (in both groups) vote. The first term represents the probability that a tie is created and the second term is the probability that a tie is broken. A player's expected payoff is $V/2$ times this "influence probability" minus c , the cost of voting.

³¹ Palfrey and Rosenthal (1985) use essentially the same techniques to determine the Bayesian-Nash equilibrium in a voting game with incomplete information. In their paper, individual cost-of-voting shocks are added to each person's payoffs. The resulting Bayesian-Nash equilibrium is mathematically equivalent to a quantal response equilibrium.

³² Alternatively, this downward adjustment could be explained by the $\mu = .4$ line, together with the dynamic stability argument in Section II that produces directional movements of the type indicated by the arrows on the horizontal axis of Figure 2.

³³ Using the same notation as before, the expected payoff difference for a player in group 1 is:

$$V \sum_{n_1=0}^{N-1} \sum_{n_2=0}^N \binom{N-1}{n_1} \binom{N}{n_2} \left[\frac{n_1+1}{n_1+n_2+1} - \frac{n_1}{n_1+n_2} \right] p^{n_1+n_2} (1-p)^{2N-n_1-n_2-1} - c.$$

where the outside sum pertains to the decisions of the $N-1$ others of one's own type, and the inside sum pertains to the N voters of the other type.

³⁴ See also Schram and Sonnemans (1996a) for a similar experiment with slightly different

parameter values.

³⁵ Notice from Figure 6 that the participation probabilities predicted by the quantal response equilibrium are roughly the same under majority rule and proportional rule. This similarity is due to the specific parameters used in the experiment and cannot be interpreted as a general empirical prediction.

³⁶ Cohen and Noll (1991) report that members of the majority coalition abstain more frequently in Congressional roll call votes than members of the minority coalition. Cohen and Noll note that one cost of voting is that of alienating some of the constituents who might disagree on the proper vote of their representative.